FROM WEI QUN E

PATENT ASSIGNMENT

(Transfer Statement under Uniform Commercial Code Section 9-619)

WHEREAS, OPTIMIGHT COMMUNICATIONS, INC. is the owner of certain patents registered and patents applications pending in the United States Patent and Trademark Office, (hereinafter collectively referred to as the "Patents" and "Applications"), all of which are set forth on the Schedule attached hereto;

WHEREAS, OPTIMIGHT COMMUNICATIONS, INC. previously granted to each of COMDISCO, INC. and HELLER FINANCIAL LEASING, INC. (the "Secured Parties") security interests in all of OPTIMIGHT COMMUNICATIONS, INC.'s right, title and interest in and to all general intangibles and other personal property owned by OPTIMIGHT COMMUNICATIONS, INC., including the Patents and Applications, as security for certain loans which are in default;

WHEREAS, OPTIMIGHT COMMUNICATIONS, INC. has defaulted in connection with its secured obligations to the Secured Parties;

WHEREAS the Secured Parties have exercised their post-default rights of foreclosure of their respective security interests in and to the Patents and Applications;

WHEREAS, by reason of the exercise of such post-default remedies, all rights of OPTIMIGHT COMMUNICATIONS, INC. in and to the Patents and Applications have been acquired by FUTUREWEI TECHNOLOGIES, INC. ("Transferee").

NOW, THEREFORE, in accordance with Section 9619(b) of the California Uniform Commercial Code, Transferee is entitled to a transfer of record of all rights of OPTIMIGHT COMMUNICATIONS, INC. in the Patents and Applications, and request is hereby made that the Commissioner of Patents and Trademarks and the United States Patent and Trademark Office accept the foregoing transfer statement and promptly amend its records to reflect the aforesaid transfer to Transferee.

The mailing address of OPTIMIGHT COMMUNICATIONS, INC., the Secured Parties and the Transferee are as follows:

Debtor:

Optimight Communications, Inc.

2712 Orchard Parkway San Jose, CA 94134

Secured Party:

Comdisco, Inc. 6111 River Road Rosemont, IL 60018

45195/0801 RDP/223933,1

1

Secured Party:

Heller Financial Leasing, Inc. 500 West Monroe Street

Chicago, IL 60661

Transferee:

FutureWei Technologies, Inc. 1700 Alma Drive, Suite 500

Plano, TX 75075

This instrument may be executed in counterparts, and each counterpart shall have the same force and effect as an original and shall constitute an effective, binding agreement on the part of each of the undersigned. This instrument may be executed by facsimile signature, and such signature shall be treated as a fully enforceable signature hereto.

[Signature pages follow]

45195/0801 RDP/223933.1

IN WITNESS WHEREOF, each of Secured Parties and Transferee. has caused its name to be signed by a duly authorized representative this 14th day of March, 2002.

FRUM WEI WUN E

COMDISCO, INC.

Title: ASSOCIATE GENERAL CONSEL

HELLER FINANCIAL LEASING, INC.

By: CINDY YOUNG Title: VICE PRESIDENT

FUTUREWEI TECHNOLOGIES, INC.

By: Title:

RECEIVED

MAR 1 92003

OFFICE OF PETITIONS

45195/0801 RDP/223933.1 IN WITNESS WHEREOF, each of Secured Parties and Transferee. has caused its name to be signed by a duly authorized representative this 14th day of March, 2002.

FROM WEI QUN E

COMDISCO, INC.

By:

Title:

HELLER FINANCIAL LEASING, INC.

By:

Title:

FUTUREWEI TECHNOLOGIES, INC.

By:

Title:

RECEIVED

MAR 1 92003

OFFICE OF PETITIONS

45195/0801 RDP/223933.1





CONFIDENTIAL

	Patent	Title	Abstract	Status
	Application/		710011 200	312.23
	Date of filing			
•	Dock, 98-02	Method and System for	A method and system of CDM for transmitting	US
	US filing:	Optical Multichannel	of a plurality of optical signals over the same	patent No
	April 21, 1998	Transmission Using	optical fiber utilizing path-matched	6111679
	Pat Family:	Coherence Division	interferometry and phase modulation of partially	3333
	PCT filing:	Multiplexing (CDM)	coherent light, based on optical selecting and	
174108	98-02 EP	With Optical Filtering	filtering of each CDM optical signal and	National
374.69	(Europe)		reducing noise affiliated with other non-selected	filings:
-545277	98-02 JP		CDM optical signals	Europe,
	(Japan)			Japan
	Dock. 99-01	Multichannel Optical	A method and system for transmission of several	Pending
180,314.	US filing:	Communication System	CDM optical signals via one WDM transmission	in the
,	October 12.	and Method Utilizing	channel of WDM telecommunication system to	USPTO
	1999	wavelength and	extend the network capacity to a theoretical	• • • • • • • • • • • • • • • • • • • •
		Coherence Division	limit. A broadband optical source generates light	[
		Multiplexing	within the spectral range of at least one WMD	
		• *	transmission channel. Several CDM channels	
. •	PCT filing:		share this spectral range to transmit and detect	Pending
	October 11,		phase modulated optical signals though optical	in the US
	2000		fiber links.	receiving
				office
	Dock. 00-01	Method and System of	A transmission of optical signals generated by	Pending
127,440	US filing:	Transmitting Optical	multi-line optical sources (MLOS) is providing	In the
	March 16,2000	Signals Generated by	via WDM network. Each MLOS generates	USPTO
i		Multi-line Sources via	optical spectral lines within designated spectral	
]		WDM Optical network	range associated with the spectral window	1
- 1	PCT filing:	•	allocated for corresponding WDM channel, and	ŀ
1	March 8,2001	1	comprises a phurality of spectral lines that are	
]		ł	substantially narrower than the spectral	
	Dock. 00-02	Maked as I S. a. S.	separation between the lines	7011
77,041	US filing:	Method and System for Non-Soliton	Short RZ format pulse signals are propagated	Pending
"	March 16,2000	Transmission of Short	via an optical fiber network in a non-soliton transmission mode. For suppression of non-	In the USPTO
i	Walter 10,2000	Pulse Signals via an	linear effects in a transmission line, the short	USPIO
	1	Optical Fiber	optical pulses are stretched by a dispersion	
}	PCT filing:	obiton v tons	stretching device to duration equal to or shorter	ļ
	March 8,2001		than 1/2 bit period of the digital signal, and	į
			propagated via the transmission line. The	ł
j]		propagated optical signals are compressed by a	
1	. 1		dispersion compressing device to duration of the	ļ
	.]		initial short optical pulses, and detected for	1
		•	obtaining the transmitted —digital signal in RZ	
ì	Į.		mode.	
	Dock. 00-03	WDM communication	A multichannel WDM transmission system	Pending
	US filing:	system utilizing WDM	incorporates a plurality of WDM optical sources	In the
	September 29.	optical sources with	with stabilized wavelength and light intensity.	USPTO
1	2000	stabilized wavelength	wherein efficient stabilization is achieved by	ļ
]		and light intensity and	modulation of the sources by low frequency	1
L		method for stabilization	electrical signals in a range between 1 and 4	



P. /

		thereof	kHz, and modulation depth in a range between	
•			1% and 5% that are used as WDM source	
•			identifiers. The modulated outputs of WDM	1 1
			sources are multiplexed and filtered. Digital	1 1
	į		feedback provides stabilization of wavelength	
	Dock. 00-04	Method and System for	and light intensity of WDM optical sources.	
16K2,033	US filing: August 18, 2000	Transmitting Signals with Spectrally Enriched Optical Pulses	A system and method for transmission of data modulated spectrally enriched optical pulses via an error free propagation region of an optical fiber, in which the optical pulses generated by an optical transmitter have a spectrum that is substantially wider than the spectrum of Fourier-transform limit at an input of the error-free propagation region. The spectral width of the optical pulses gradually narrows while transmitting along this region and becomes	Pending in the USPTO
	·	•	comparable to the Fourier-transform limit at an output of this region. Linear and non-linear distortions are compensated within the error free propagation region respectively by deployment of dispersion compensating units and phase modulation of transmitted optical pulses for providing them with an appropriate frequency chirp having shape comparable with a frequency chirp induced by a self-phase modulation of the optical fiber but having opposite sign.	
302,222	Dock.01-01 US CIP of 00-04US	Method and System for Transmitting Signals with Spectrally Enriched Optical Pulses	A system and method for transmission of data modulated spectrally enriched optical pulses via an error free propagation region of an optical fiber, in which the spectrum of optical pulses gradually depletes from spectrum that is substantially wider than the spectrum of Fourier-transform limit at an input of the error-free propagation region and becomes comparable to the Fourier-transform limit at an output of this region, the gradual depletion of the spectrum is achieved by utilizing a frequency chirp converter having a dispersion sign opposite to a dispersion sign of the optical fiber	Filed in the US PTO March 8, 2001.